CHECK OUT OUR WEBSITE THAT WILL BE CONTINUOUSLY UPDATED

WITH THE LATEST NEWS AND DOWNLOADS



FAGERLID • SE-548 92 HOVA • SWEDEN
INFO@FXAIRGUNS.COM • WWW.FXAIRGUNS.COM





### AIR TO A GREAT TRADITION

I've been shooting since I was four years old. I'm 50 now, and I can shoot pretty much any type of rifle, shotgun, or pistol I want to, in a wide variety of situations. While I enjoy all types of shooting, my true passion is for airguns; it's where I began my shooting career and it's provided me with everything I need throughout my shooting life.

As I grew and improved my range of shooting skills, my airguns grew with me and I became ever more fascinated by how they worked, how they could be improved and how I could improve the way I used them. My shooting became a passion, and airguns were the focus of that passion.

From those early times, all the way to the present, I've shared my sport with some remarkable people, who also shared my passion. Inventors, engineers, world-class marksmen, hunters of all descriptions and a whole range of experts and enthusiasts have inspired me and increased my enjoyment of shooting. Among these remarkable people was a young man from Sweden, who was introduced to me by John Ford, the founder of Sportsmatch UK. As I exchanged pleasantries with Fredrik Axelsson that day, I couldn't have known that I was shaking hands with someone who would go on to change the face of modern airgunning.

After our first meeting, Fredrik and I went our separate ways, but I would receive regular updates from John Ford about the discoveries made by Fredrik and how much the young man's industry and inventiveness had not only impressed John, but had inspired new directions in his own developments. John Ford once told me that he considered Fredrik Axelsson to be the most talented airgun engineer he'd ever met. Praise indeed, from a man respected throughout the airgun industry, not just for his achievements, but for his honesty and integrity. John Ford spotted something special in Fredrik Axelsson and that faith was well founded. The potential of Fredrik's early years has now come to full fruition via FX Airguns.

Like John Ford, Fredrik Axelsson and every airgun hunting expert I've had the pleasure to meet throughout my years of shooting, I use air rifles because I appreciate their quiet, efficient, precision. Modern air rifles, and especially those produced by companies with the worldwide reputation of FX Airguns, are capable of total accuracy, extraordinary consistency, and a variety of power outputs to suit an even wider variety of hunting and pest-control situations. The modern air rifle is a precision hunting machine that will translate

the skills of its owner into success in the field. But there's more to hunting with airguns than their pure efficiency.

Air-powered hunting rifles from FX Airguns can be used where no other rifle would be suitable. The ability to adjust the power of these rifles renders them safe, silent and extremely efficient when clearing rats and pigeons from buildings and other short-range situations, after which the rifles can be instantly adjusted to cope with small game at greater ranges. Few, if any, hunting rifles offer the versatility of an FX Airguns sporter.

These virtually recoilless rifles can easily place their shots inside a 20 mm circle at 50 metres range, and the auto-reload capability of an FX air rifle can have the next shot ready in less than a second, with the semi-automatic models even faster. Fit a silencer to the ready-threaded barrel and you instantly add stealth to your hunting armoury. The modern air rifle opens a vast new world of sporting potential.

On several occasions, I have personally taken over 100 rabbits in a single night, using an FX Airguns hunting rifle. I have also used the very same rifles to clear infestations of feral pigeon from premises where only the precision culling capabilities of my FX rifles made the job viable. With near-silent shooting at my disposal, and the ability to take shot after shot without the disturbance of loud muzzle-blasts, my air rifles equip me like no other piece of shooting hardware possibly could. Air-power is one of the most practical and versatile systems of them all, and FX Airguns takes that system to a new level.

Having enjoyed the use of FX Airguns over the years, I wanted to find out more about them and to see how they were made. In June of 2006 I visited the FX Airguns factory and saw for myself what Fredrik Axelsson had built from his

ideas and inventions. No shooting man could fail to be impressed by the degree of research, pre-production testing and quality control involved in the production of FX airguns. Like the airguns themselves, the emphasis is on quiet precision and performance to the highest standards.

For me, it was gratifying to see the drive and passion that so impressed those that met Fredrik Axelsson when he began his career, had not only been maintained, but increased. Experience and the encouragement of success have added even greater direction to the quest for ultimate performance, and, at FX Airguns, innovation is now part of the process. This is a company that makes fine airguns, and then strives to make them finer still. There is a genuine commitment to excellence, here, and it's certainly reflected in the products.

Since meeting up with Fredrik Axelsson and spending time studying his methods and products, I now realise that the key to the success of FX Airguns is an extremely simple one. Fredrik is passionate about what he does and the airguns his company produces reflect that passion. Only the very best is good enough for Fredrik Axelsson, and he applies that standard to the needs of his customers. Therefore, whilst the products may be hi-tech and clinically efficient, the philosophy behind them is refreshingly traditional. I think that's just about the perfect combination, really.


There has never been a better time to own a high quality airgun. Thanks to pioneering inventors like Fredrik Axelsson, airguns and their related products have progressed as never before. These are genuine sporting arms, and fully capable of true hunting performance. I've enjoyed a lifetime of pleasure, challenge and satisfaction from my airguns and I know that FX Airguns can provide the same for you.

#### Happy airgunning

#### Terry Doe


Terry Doe is a former European, U.S. and U.K. Field Target shooting champion, a prolific author on airgun-related subjects and a consultant for many of the U.K.'s airgun companies.





# **E** typhoon

A lightweight single shot rifle with few moving parts that settles for many years of trouble free shooting. Available in lightweight synthetic or walnut that fits both left and right hand shooters. Bolt action cocking with safety mode. Recoil free.



Ambidextrous

Cocking system Bolt action

Magazine type Single shot, no magazine Stock Synthetic:

Adjustable rubber recoil-pad Ambidextrous (equal on both sides)

Adjustable recoil pad

Ambidextrous (equal on both sides)

Field Target: Fully adjustable rubber recoil-pad

> (height/length/sideways) Adjustable cheek piece (height/sideways)

Ambidextrous (equal on both sides)

Calibre 6,35 (.25) - 5,5 (.22) - 4,5 (.177)

Walnut:



Singel shot pellet tray



**Barrel** Smooth-twist • Length 500 mm (6,35 - 600 mm)

Pressure gauge

Energy

Trigger Adjustable match trigger (400 - 700 g) Velocity

Cal 6,35 (.25) • Unavailable data Cal 5,5 (.22) • 265 m/s • 870 ft/s Cal 4,5 (.177) • 300 m/s • 1000 ft/s

Cal 6,35 (.25) • Unavailable data Cal 5,5 (.22) • 36 Joule • 27 ft/lbs

Cal 4,5 (.177) • 27 Joule • 20 ft/lbs

Air capacity Air cylinder

Not removable

Shot capacity Approx. 30 + at full power Fill pressure Max 220 bar (3200 psi) Safety Bolt action safety mode Optics 11 mm dovetail for scope

Muzzle

Synthetic 930 mm • Walnut ME 940 mm • Field Target 910 - 935 mm Length

Caliber 6,35 (.25) adds 100 mm in lenght

Weight Synthetic 2,2 kg • Walnut ME 2,7 kg • Field Target 3,2 kg

Charging Quick charge system MkI

Shrouded barrel intergraded with barrel support Extras

(adds 100 mm on total length)



Bolt actions safety mode



Adjustable recoil-pad





A lightweight rifle with few moving parts that settles for many years of trouble free shooting. Spring tensioned removable magazine made in anodized aluminium. All stocks are Ambidextrous / equal on both sides to suit most shooters. Bolt action cocking with safety mode. Recoil free.



Magazine removed

Cocking system Bolt action

Magazine type Spring tensioned: 6,35 (.25) holds 11 pellets

5,5 (.22) holds 12 pellets 4,5 (.177) holds 16 pellets

Stock Synthetic: Adjustable rubber recoil-pad • Ambidextrous (equal on both sides)

Walnut: Adjustable recoil pad • Ambidextrous (equal on both sides) Field Target: Fully adjustable rubber recoil-pad (height/length/sideways)

Adjustable cheek piece (height/sideways)

Ambidextrous (equal on both sides)





Calibre 6,35 (.25) - 5,5 (.22) - 4,5 (.177)

Barrel Smooth-twist • Length 500 mm (6,35 - 600 mm)

Pressure gauge

Energy

Adjustable match trigger (400 - 700 g) Trigger Velocity Cal 6,35 (.25) • Unavailable data

Cal 5,5 (.22) • 265 m/s • 870 ft/s Cal 4,5 (.177) • 300 m/s • 1000 ft/s

Cal 6,35 (.25) • Unavailable data Cal 5,5 (.22) • 36 Joule • 27 ft/lbs Cal 4,5 (.177) • 27 Joule • 20 ft/lbs

Air capacity 185 cc

Air cylinder Not removable

Shot capacity Approx. 30 + at full power Fill pressure Max 220 bar (3200 psi) Safety Bolt action safety mode Optics 11 mm dovetail for scope

Muzzle

Length Synthetic 930 mm • Walnut ME 940 mm • Field Target 910 - 935 mm

Caliber 6,35 (.25) adds 100 mm in lenght

Weight Synthetic 2,2 kg • Walnut ME 2,7 kg • Field Target 3,2 kg

Quick charge system MkI Charging

Extras Shrouded barrel intergraded with barrel support

(adds 100 mm on total length)



Adjustable recoil-pad



Removable 12-shot magazine





Built with highly restrained noise level for non-disturbing shooting. Lightweight rifle with few moving parts that settles for many years of trouble free shooting. Spring tensioned removable magazine made in anodized aluminium. Thumbhole stock available in both Synthetic and Walnut. Bolt action cocking with safety mode. Recoil free.



Whispering barrel shroud



Synthetic thumbhole stock

Cocking system Bolt action Magazine type Spring tensioned: 6,35 (.25) holds 11 pellets 5,5 (.22) holds 12 pellets 4,5 (.177) holds 16 pellets Adjustable rubber recoil-pad Synthetic: Walnut: Adjustable rubber recoil-pad



Calibre 6,35 (.25) - 5,5 (.22) - 4,5 (.177)

Barrel Smooth-twist • Length 500 mm (6,35 - 600 mm)

Pressure gauge

Energy

Stock

Trigger Adjustable match trigger (400 - 700 g) Velocity Cal 6,35 (.25) • Unavailable data

Cal 5,5 (.22) • 265 m/s • 870 ft/s Cal 4,5 (.177) • 300 m/s • 1000 ft/s Cal 6,35 (.25) • Unavailable data Cal 5,5 (.22) • 36 Joule • 27 ft/lbs

Cal 4,5 (.177) • 27 Joule • 20 ft/lbs

Air capacity

Air cylinder Not removable

Shot capacity Approx. 30 + at full power Fill pressure Max 220 bar (3200 psi) Safety Bolt action safety mode Optics 11 mm dovetail for scope

Muzzle 1/2" UNF Length 1070 mm


Weight Synthetic 3 kg • Walnut ME 3,3 kg

Charging Quick charge system MkI


Extras Not available



Adjustable rubber/recoilpad



Removable 12-shot magazine



# Cyclone

Straight pull cocking system with the possibility to use the thumb to return cocking lever. Choose between Ambidextrous synthetic stock with soft grip or Walnut with adjustable recoil-pad. Patented power adjuster with three different power settings. Equipped with pressure gauge. Recoil free.

Cocking system Straight pull with thumb return Magazine type Removable 8 shot magazine

Stock Rubber recoil pad • Ambidextrous (equal on both sides) Synthetic:

Walnut ME: Adjustable rubber recoil pad

Calibre 5,5 (.22) • 4,5 (.177)

Barrel Smooth-twist • Length 500 mm



Built in soft grip



Straight pull cocking system with thumb



Pressure gauge

Trigger Adjustable match trigger (400 - 700 g)

Velocity Adjustable in three steps

> Cal 5,5 (.22) • 185 - 225 - 280 m/s • 600 - 740 - 930 ft/s Cal 4,5 (.177) • 200 - 250 - 300 m/s • 650 - 820 - 1000 ft/s

Energy Cal 5,5 (.22) • 20 - 30 - 45 Joule • 14 - 24 - 34 ft/lbs

Cal 4,5 (.177) • 16 - 23 - 27 Joule • 12 - 17 - 20 ft/lbs

Air capacity 185 cc Air cylinder Removable

Shot capacity Approx. 30 at full power Fill pressure Max 220 bar (3200 psi)

Safety

Optics 11 mm dovetail Scope mount

Muzzle 1/2" UNF

Synthetic 920 mm • Walnut ME 940 mm Length Weight Synthetic 2,6 kg • Walnut ME 2,7 kg

Charging Quick charge system MkI

Extras Shrouded barrel intergraded with barrel support


(adds 100 mm on total length)



Adjustable Match trigger 400-700 g



Removable air cylinder



## Cutlas

Straight pull cocking system with spring tensioned return/self-closing. Synthetic thumbhole stock with weaver accessory rail for mounting of lamps etc. Walnut thumbhole with adjustable recoil-pad. Patented power adjuster with three different power settings. Equipped with pressure gauge. Recoil free.



Forend accessory rail

**Cocking system** Straight pull with spring tensioned return

Magazine type Removable 8 shot magazine

Stock Synthetic: Adjustable rubber recoil-pad • Weaver accessory rail

Magazine holder
Walnut ME: Adjustable rubber recoil pad

**Calibre** 5,5 (.22) • 4,5 (.177)



Barrel Smooth-twist • Length 500 mm

Pressure gauge Yes

**Trigger** Adjustable match trigger (400 - 700 g)

**Velocity** Adjustable in three steps

Cal 5.5 (.22) • 185 - 225 - 280 m/s • 600 - 740 - 930 ft/s Cal 4.5 (.177) • 200 - 250 - 300 m/s • 650 - 820 - 1000 ft/s

**Energy** Cal 5,5 (.22) • 20 - 30 - 45 Joule • 14 - 24 - 34 ft/lbs

Cal 4,5 (.177) • 16 - 23 - 27 Joule • 12 - 17 - 20 ft/lbs

Air capacity 185 cc
Air cylinder Removable

Shot capacity Approx. 30 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manua

Optics 11 mm dovetail Scope mount

Muzzle 1/2" UNF

Length Synthetic 920 mm • Walnut ME 940 mm
Weight Synthetic 2,4 kg • Walnut ME 2,8 kg

Charging Quick charge system MkI

**Extras** Shrouded barrel intergraded with barrel support

(adds 100 mm on total length)



Cocking system: straight pull with auto



Velocity adjustable in three steps



# **Gladiator**

Gladiator holds an enormous amount of air! Air tanks are fully removable to make a neat package. Straight pull cocking system with spring tensioned return/self-closing. Pistol gripped synthetic stock with adjustable bottle cover/cheek piece (length and angle). Patented power adjuster with three different power settings. Recoil free.



Removable bottle

Cocking system Straight pull with auto return Magazine type Removable 8 shot magazine Stock

Adjustable recoil pad • Ambidextrous (left/right) Adjustable bottle cover/cheek piece (length/angle)

Calibre 5,5 (.22) • 4,5 (.177)

Barrel Smooth-twist • Length 500 mm



Straight pull with auto return



Pressure gauge

Trigger Adjustable match trigger (400 - 700 g)

Velocity Adjustable in three steps

> Cal 5,5 (.22) • 195 - 235 - 290 m/s • 630 - 770 - 950 ft/s Cal 4,5 (.177) • 200 - 250 - 300 m/s • 650 - 820 - 1000 ft/s

Energy Cal 5,5 (.22) • 20 - 30 - 45 Joule • 14 - 24 - 34 ft/lbs

Cal 4,5 (.177) • 16 - 23 - 27 Joule • 12 - 17 - 20 ft/lbs

Air capacity

Air cylinder Front 185 cc (128 cc Tactical Ed.). Rear 500 cc

Shot capacity Approx. 100 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail Scope mount Muzzle 1/2" UNF (no thread on Tactical Ed.)

Length 950 mm Weight

Charging Quick charge system MkII

Tactical Edition, adds 100 mm on total lenght



Adjustable bottle cover



Removable 8-shot magazine



## Fevolution

The Revolution takes airguns to the next level with its fast-fire semi automatic system. Wasted air is used to cycle the bolt and index the magazine and along with a new 12-shot magazine it allows more shots while reducing the time between shots to zero! Due to the efficiency of the semi-automatic system it's extremely quiet without the use of any additional components.

The manual bolt lever enables the rifle to be safely loaded and refilled without any risk of misfire. Along the right side of the Revolution is a cleverly designed safety that prevents the semi-automatic rifle from firing. The Revolution is sure to supply rapid fire enjoyment along with single shot precision, and it stands alone with nothing in its class to compare with. Ambidextrous synthetic stock with adjustable bottle cover/check piece (length/angle). Recoil free.



Removable air cylinder, capacity 500 cc



Semi automatic cocking system



Cocking system Semi automatic

Magazine type Spring tensioned magazine

Stock Adjustable rubber recoil pad • Ambidextrous (left/right) Synthetic: Adjustable bottle cover/cheek piece (length/angle)

Calibre 5,5 (.22)

Smooth-twist • Length 500 mm Barrel

Pressure gauge

Trigger Match trigger • Not adjustable

Velocity 280 m/s • 930 ft/s Energy 40 Joule • 32 ft/lbs

Air capacity 500 CC Air cylinder Removable

Shot capacity Approx. 6o - 7o at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail Scope mount

Muzzle 1/2" UNF Length 102 mm Weight 3,6 kg

Charging Quick charge system MkI


Extras



Expansion chamber/Air return



Removable 12-shot magazine



## Monsoon

The Monsoon has a semi-automatic system similar to the Revolution, which use wasted air to cycle the bolt and index the 12-shot magazine. Due to the efficiency of the semi-automatic system, it's extremely quiet without the use of any additional components. The manual bolt lever enables the rifle to be safely loaded and refilled without any risk of misfire. The Monsoon is sure to supply rapid fire enjoyment along with single shot precision. Thumbhole with adjustable recoil pad. Recoil free.



Synthetic thumbhole stock



Manual safety

Cocking system Semi automatic

Magazine typeSpring tensioned magazineStockSynthetic:Adjust

Synthetic: Adjustable rubber recoil pad • Thumbhole Walnut ME: Adjustable rubber recoil pad • Thumbhole



 Calibre
 5.5 (.22) 12 shot • 4.5 (.177) 16 shot

 Barrel
 Smooth-twist • Length 500 mm

Pressure gauge N

Energy

 Trigger
 Match trigger • Not adjustable

 Velocity
 5,5 (.22) • 275 m/s • 920 ft/s

 4,5 (.177) • 300 m/s • 1000 ft/s

5,5 (.22) • 40 Joule • 30 ft/lbs 4,5 (.177) • 24 Joule • 18 ft/lbs

Air capacity 180 cc

Air cylinder Not removable

Shot capacity Approx. 30 - 40 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Flat

LengthSynthetic 1070 mm • Walnut ME 1070 mmWeightSynthetic 3,1 kg • Walnut ME 3,4 kg

**Charging** Quick charge system Mkl

Extras No



Removable Magazine



Expansion chamber / air return



## Verminator

The Verminator is a compact, accurate, take down, repeating rifle packed with features. Patented 3-step power adjuster, match grade barrel, quality synthetic stock and built in sound suppression are all packed into the included hard carry case. The Verminator sports a fully adjustable, matchgrade trigger and adjustable cheek piece. The Verminator is at home in the field or on the target range with its smooth side lever cocking system. Two eight shot magazines are included with each rifle as well as a built in scope rail. The Verminator is a go to gun when pest are in need of dispatch or just for accurate fun. Recoil free.



Match grade barrel



Muzzle thread for silencer



Cocking system Straight pull with auto return Magazine type Removable 8 shot magazine

Stock Synthetic: Adjustable recoil pad • Ambidextrous (left/right)

Adjustable bottle covercheek piece (length/angle)

Calibre 5,5 (.22) • 4,5 (.177)

Barrel FX Smoothtwist • Match Grade • Free floating • Length 300 mm

Pressure gauge

Trigger Adjustable match trigger (400 - 700 g)

Velocity Adjustable in three steps

> Cal 5,5 (.22) • 225 m/s • 740 ft/s Cal 4,5 (.177) • 240 m/s • 790 ft/s

Energy Cal 5,5 (.22) • 25 Joule • 18 ft/lbs

Cal 4,5 (.177) • 16 Joule • 12 ft/lbs

Air capacity Air cylinder 400 cc bottle

Shot capacity Approx. 200 at 12 ft/lbs Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle 1/2" UNF Length 640 - 720 mm Weight 2,4 kg

Charging Quick charge system Mkl

Extras



Removable air bottle



Delivered in a compact hard-case





The Royale 200 gets its name like all of the Royale series from the capacity of the air cylinder. The rifle shares the same high tech breech block and side lever cocking system as the Royale 400. The 200 incorporates the latest in valve technology giving the shooter many accurate shots per fill out of the super match grade barrel. The stock is an ambidextrous synthetic unit that allows comfort for both the left and right hand shooter. Fully adjustable trigger system and whisper shroud for extremely low report is standard on the 200 as well as an 11 mm scope rail. The rifle can be used as a single shot for best accuracy or as a repeater with the included rotary magazine for fast follow up shots when required. A fine choice for hunting and long-range target use. Comes as standard with the patented power adjuster with repeatable power settings. Recoil free.



Power adjuster



Stock prepared with accessory mount



Cocking system Sidelever

Magazine type Removable magazine

(16 shot in calibre 4,5 - (.177)) (12 shot in caliber 5,5 - (.22)) (11 shot in caliber 6,35 - (.25))

**Stock** Synthetic • Adjustable recoil pad • Ambidextrous

**Length** 500 mm (600 mm on 6,35)

Pressure gauge Yes

 Trigger
 Adjustable match trigger (400 - 700 g)

 Velocity
 Cal 5,5 (.22) • 300 m/s • 1000 ft/s

 Cal 4,5 (.177) • 300 m/s • 1000 ft/s

Cal 6,35 (.25) • 265 - 270 m/s • 870 - 900 ft/s

**Energy** Cal 5,5 (.22) • 48 Joule • 36 ft/lbs

Cal 4,5 (.177) • 24 Joule • 18 ft/lbs Cal 6,35 (.25) • 60 Joule • 45 ft/lbs

Air capacity 185 cc

Air cylinder Removable

**Shot capacity** Approx. 30 shots at full power in 5,5 (.22)

Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail Scope mount

Muzzle Fully Shrouded
Length 1100 mm
Weight Synthetic 3,3 kg

Charging Quick charge system Mkl
Extras Pressure Regulator



Adjustable match trigger



Ambidextrous stock with straight-

thumb grip





Without a doubt one of FX Flagship! Fredrik Axelsson spent two years in developing and testing the Royale breech block and valve system before it was put into production. Incorporated into the new breech block is a super smooth and effortless side lever. Cocking system and spring tensioned magazine. Adjustable match-grade trigger for crisp, precise release of the shot and a 3-step patented power adjuster that allows for super-fast selection of the required power level. The power adjuster will also repeat itself with absolute precision. The 400 cc air supply provides many super accurate shots from the Smooth-twist barrel. The Royale 400 is a light-weight super gun. Quiet in report with the included suppression system. A regulator can be added for an additional charge to give more consistent shots per fill but is not required. Recoil free.



Removable air cylinder, capacity 400 cc



Cocking system: Sidelever



Cocking system Sidelever

Magazine typeRemovable 12 shot magazine (16 shot when caliber 4,5 - (.177))StockSynthetic:Thumbhole • Adjustable recoil pad

Walnut ME: Thumbhole • Adjustable recoil pad

Calibre 5,5 (.22) • 4,5 (.177) Will also be available as 6,35 (.25) during 2012

Barrel FX Smooth twist • Match grade • Free floating • Length 500 mm

Pressure gauge Yes

 Trigger
 Adjustable match trigger (400 - 700 g)

 Velocity
 4,5 (.177) and 5,5 (.22) 300 m/s • 1000 ft/s

**Energy** 5,5 (.22) • 48 Joule • 36 ft/lbs

4,5 (.177) • 24 Joule • 18 ft/lbs

Air capacity 400 cc
Air cylinder Removable

Shot capacity Approx. 60 at full power
Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail for scope

Muzzle Shrouded Length 1030 mm


Weight Synthetic 2,9 kg • Walnut 3,1 kg
Charging Quick charge system Mkll
Extras Pressure regulator



Built in pressure gauge and quick fill connector.



Synthetic/walnut thumbhole stock





The Royale 500 sports all of the features of the 400 series rifle with a few exceptions. The 500 is a .25 caliber with a longer smooth twist match grade barrel as well as a larger 500 cc air cylinder to provide maximum performance. The 500 comes as standard with the patented power adjuster with repeatable power settings. Available with a synthetic or luxurious walnut stock the 500 is much lighter than it appears and can be carried in the field for extended periods of time. Super high power and recoil free, the Royale 500 is the best for larger pest and long range shooting. Regulator is also available as an upgrade.



Removable air cylinder, capacity 400 cc





Cocking system Sidelever

Magazine type Removable 11 shot magazine

Stock Syntetic: Thumbhole • Adjustable recoil pad

Walnut ME: Thumbhole • Adjustable recoil pad

**Calibre** 6,35 (.25)

Barrel FX Smoottwist • Match grade • Length 600 mm

Pressure gauge Ye

**Trigger** Adjustable match trigger (400 - 700 g)

**Velocity** 265 - 270 m/s • 870 - 900 ft/s

Energy 60 Joule • 45 ft/lbs

Air capacity 500 cc

Air cylinder Not removable

Shot capacity Approx. 60 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail Scope mount

Muzzle Shrouded Length 1195 mm

Weight Synthetic 3,2 kg • Walnut ME 3,4 kg

Charging Ouick charge system, MkII
Extras Pressure regulator



Built in pressure gauge and quick fill connector



Synthetic/walnut thumbhole stock



# **E** independence

Completely independent from an external power supply but with all the benefits and advantages of all available PCP systems on the market. Choose any combination of shots/pumps to match the need of the situation. Large pressure gauge for precise control over the working pressure to ensure ultimate consistency. All PCP airguns have what is called a "sweet spot" where the accuracy is at best. The Independence can be kept at this level with ease.

Cocking system Sideleve

Magazine type Removable magazine • (16 shot in calibre 4,5 - (.177))

(12 shot in caliber 5,5 - (.22) • (11 shot in caliber 6,35 - (.25))



Sidelever pump





Stock Synthetic • Thumbhole • Adjustable recoil pad

**Calibre** 5,5 (.22) • 4,5 (.177) • 6,35 (.25)

Barrel FX Smoothtwist • Match grade • Length 500 mm (600 mm on 6,35)

Pressure gauge
Trigger

Adjustable match trigger (400 - 700 g)

Velocity

Cal 4,5 (.177) • 300 m/s • 1000 ft/s

Cal 5,5 (.22) • 275 m/s • 920 ft/s

Cal 6,35 (.25) • 265 - 270 m/s • 870 - 900 ft/s

**Energy** Cal 5,5 (.22) • 40 Joule • 30 ft/lbs

Cal 4,5 (.177) • 24 Joule • 18 ft/lbs Cal 6,35 (.25) • 60 Joule • 45 ft/lbs

Air capacity Built in pump
Air cylinder Not removable

**Shot capacity** Approx. 6 shot at full power 5,5 (.22)

Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail for scope

Muzzle ½" UNF with muzzleflip (no thread if shrouded)

Length Synthetic 935 mm (980 mm with muzzleflip attached)

Weight Synthetic 3,4 kg

Charging Quick charge system MkII or built in pump

Extras Shrouded barrel (adds 170 mm on total lenght)



Power adjuste



Big pressure gauge



## Fanchero

The FX Ranchero is the premier, repeating pre-charged pistol on the market. The latest model sports a new synthetic stock with soft touch panels that provide the ultimate in comfort for all weather conditions. The action has been moved rearward in the stock for better balance and control, and a new side lever handle gives better grip for ease of use. The patented 3-step power adjuster has clear markings for low, medium and high settings and a scope rail is standard.

The match grade barrel and adjustable trigger unit help to give this pistol the accuracy and power it is famous for. Two eight shot magazines are included as well as a hard plastic carrying case. The Ranchero is the leader in high power recoil free pistol performance.



Cocking system Straight pull with thumb return Magazine type Removable 8 wshot magazine Stock Synthetic • Right-handed grip

Calibre 5,5 (.22) • 4,5 (.177)

Barrel FX Smoothtwist • Length 250 mm

Pressure gauge

Trigger Adjustable match trigger (400 - 700 g)

Velocity Adjustable in three steps

> Cal 5,5 (.22) • 225 m/s • 740 ft/s Cal 4,5 (.177) • 240 m/s • 790 ft/s

Energy Cal 5,5 (.22) • 28 Joule • 18 ft/lbs

Cal 4,5 (.177) • 16 Joule • 12 ft/lbs

Air capacity 65 cc Air cylinder Removable

Shot capacity Approx. 20 at full power Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle 1/2" UNF Length 440 mm Weight 1,4 kg

Charging Quick charge system MkI

Extras



Removable 8-shot magazine



Sidelever



Right handed grip



Soft touch surface



## **E**

The FX Biathlon rifle is a true side lever system in the spirit of the Olympic competition rimfire guns. The fast side lever cocking action is how the rifle gets its name along with the fully adjustable synthetic stock. The rifle can be used as a multi-shot repeater or single shot for match use. Perfect for training or competition use, the Biathlon includes such features as a pressure gauge, scope rail, front compensator and diopter sight option. Super accurate match barrel and adjustable trigger are part of the standard list. The Biathlon is a unique rifle and can be utilized for hunting and pest control when needed or for just shooting fun. Recoil free.

Cocking system Straight pull

Magazine type Spring tensioned: 5,5 (.22) available with 5 pellets or 12 pellets

4,5 (.177) available with 5 pellets or 16 pellets

**Stock** Field Target: Fully adjustable rubber recoil-pad (height/length/sideways)

Adjustable cheek piece (height/sideways)
Ambidextrous (equal on both sides)



Gauge and dovetail mount



Adjustable stock



**Calibre** 5,5 (.22) - 4,5 (.177)

Barrel FX Smoothtwist • Length 500 mm with support

Pressure gauge Ye

**ge** Yes

**Trigger** Adjustable match trigger (400 - 700 g)

Velocity Unavailable data

**Energy** Can be delivered with 7,5 to 36 Joule

Air capacity 185 cc
Air cylinder Not removable
Shot capacity Unavailable data
Fill pressure Max 220 bar (3200 psi)
Safety Thumb return pulled back
Optics 11 mm dovetail scope mount

Muzzle 11 mm dovetail and compensator function

 Length
 1010 - 1035 mm

 Weight
 3,260 kg

Charging Quick charge system Mkl

Extras: Complete optic kit as in picture • Regulator



Biathlon style reloading



Ambidextrous stock with straight thumb grip



## **EX**verminator MkII

The Verminator Mk2 is the premier, small, takedown style rifle that is packed with high quality features. The award winning Royale breech block is the foundation for this high performance tack driver. With a 400 cc air cylinder and super efficient valve system the Verminator Mk2 does not disappoint. It boasts a large shot-count, three-step power adjuster, match grade barrel and an adjustable trigger. The synthetic stock is both purpose-built and adjustable for length of pull and face position. The multishot magazine combined with a super smooth side lever cocking action gives fast follow up shots. The barrel is fully shrouded for super quiet report and choked for match accuracy. The rifle comes in a fitted case with room for additional accessories. Recoil free.



Compact hard-case





Cocking system Sidelever

Magazine type Removable 12 shot magazine (16 shot when caliber 4,5 - (.177)) Stock Synthetic: Adjustable recoil pad • Ambidextrous (left/right)

Adjustable bottle cover cheek piece (length/angle)

Calibre 5,5 (.22) • 4,5 (.177)

Barrel FX Smoothtwist • Length 300 mm

Pressure gauge

Trigger Adjustable match trigger (400 - 700 g)

Velocity Adjustable in three steps Energy Unavailable data

Air capacity Air cylinder Removable Shot capacity Unavailable data Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Threaded M20 750 - 800 mm Length Weight 2,9 kg

Charging Quick charge system MkII Extras Pressure Regulator



Hidden charging



Power adjuster



# Sgladiator MkII

The Gladiator Mk2 sports all of the features as the Verminator Mk2 with the addition of a front air cylinder to give huge shot counts from all three power settings. Big on power and accuracy the Mk2 is a great choice for a day of shooting in the field. A pressure gauge and multi-shot magazine are standard equipment on this super quiet air rifle. The match grade trigger unit ensures target grade performance and the efficient valve system gives very tight shot to shot velocities. A regulator can be added that will give even more shots per fill. Like all of the FX range the Gladiator is recoil free.



Shroud



Cocking system Sidelever

Magazine typeRemovable 12 shot magazine (16 shot when caliber 4,5 - (.177))StockSynthetic:Adjustable recoil pad • Ambidextrous (left/right)Adjustable bottle cover cheek piece (length/angle)

Gauge

**Calibre** 5,5 (.22) • 4,5 (.177)

Barrel FX Smoothtwist • Length 300 mm

Pressure gauge Ye

**Trigger** Adjustable match trigger (400 - 700 g)

Velocity
Adjustable in three steps
Unavailable data
Air capacity
Air cylinder
Removable

Air cylinder Removable

Shot capacity Unavailable data

Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Flat Length 1150 - 1220mm

Weight 4


ChargingQuick charge system MkIExtrasPressure Regulator



Safety



Power adjuster



# Elite

The FX Elite series use the Royale breech block with a single shot, direct barrel loading system. To ensure top level match accuracy the pellet must not be damaged in the loading process. The Elite loading platform removes this possibility by allowing the shooter to insert pellet directly into the barrel. The massive bolt seals the air on the breech face with the airflow being unaffected, giving the highest level of accuracy possible in a field target or benchrest rifle. The barrel is very easy to change allowing for multi-caliber options from one gun. A regulator is a recommended option but is not required. The Elite series is available on the Royale 200, 400, 500 and Independence actions.



Pellet probe open













Safetv



Pellet probe



# Verminator MKII

The FX Verminator Extreme is the ultimate in compact airgun versatility. We have taken into consideration all possible airgun applications and have included the necessary kit to handle any scenario with the Extreme. Upon opening the included hard case one will find the Verminator Mk2 rifle with FX scope mounted with quick change mounts.

Further investigation will reveal a second full length barrel for high power applications as well as a shroud extension that can be used on both short and long barrels for super quiet report. Switching from short to long barrels requires no tools and only ten seconds to complete. The shooter can switch from a short carbine or full length rifle in less time than it takes to load the 12 shot magazine. Nestled nicely in the custom laser cut foam packing is a bipod and its mount, a torch and its mount with the added convenience of both able to be mounted on the rifle.

We have also included a special barrel that will shoot arrows for added fun or small to medium size game. Hidden in a special compartment included in the case are target and hunting arrows with a special arrow for line shooting or spear fishing. Leaving nothing to chance there is also a fishing reel included for retrieval with a mount to fit the rifle. The FX Verminator Extreme is the last name in extreme airgun performance.



Arrow barrel



Power adjuster

Targeted for availability in spring 2012!



#### The FX Verminator Extreme kit includes:

- 1. Shroud extension
- 2. FX Smoothtwist barrel 300 mm
- 3. Torch
- 4. Bipod
- 5. Scope

#### Not shown in picture:

FX Smoothtwist barrel 500 mm

FX special arrow barrel

Hunting arrows + special arrow for lineshooting

Fishing reel + mount

Compact hard-case



Delivered in a compact hard-case



Cocking system Sidelever

Magazine type Removable 12 shot magazine (16 shot when caliber 4,5 - (.177)) Stock Synthetic: • Adjustable recoil pad • Ambidextrous (left/right)

Calibre 5,5 (.22) • 4,5 (.177)

Barrel FX Smoothtwist • Length 300 mm and 500 mm

Pressure gauge Yes

Trigger Adjustable match trigger (400 - 700 g)

Velocity Adjustable in three steps Energy Unavailable data

Air capacity 400 CC Air cylinder Removable Shot capacity Unavailable data Fill pressure Max 220 bar (3200 psi)

Safety Manual

Optics 11 mm dovetail scope mount

Muzzle Threaded M20 Length 750 - 800 mm

Weight 2,9 kg



Safety



Mounted torch





## **Coptics**



Objective Lens Diameter 44 mm
Diopter Adjustment Range -2,0 / -2,0
Reticle Illuminated Red

Parallax 10 yds-infinity - wheel adjusted

Body Tube Diamter30 mmTotal Length335 mmTotal Weight750 g

Lens Coating Fully Multi Coated



#### FX optics 3-12x44 ir/ao

Objective Lens Diameter
Diopter Adjustment Range
Reticle
Parallax
Body Tube Diamater
Total Length
Total Weight

44 mm
-2.0 / +2.0
Illuminated Red
30 yds-infinity
25,4 mm
350 mm
500 g

Lens Coating Fully Multi Coated



### Sight set

Complete Sight set for FX Biathlon and others with dovetail mount.

High sight base set: 7.5 mm height increase

**Rearsight:** Strong double base clamps and stainless steel screws suitable for all types of rifle short mounting rail allows maximum movement of the sight for all iris attachments long standard-threaded tunnel enables use of all irises and anti-glare tubes bullet shift 1,5 mm per click at 50 meters

Iris: Adjustable over a wider range of 0,5 - 3,0 mm

Anti-glare tub: 50 mm
Foresight: M.18 thread
Element Grip Collar: M18
Element: 3,6 Pole



#### **Scopemounts**

Sport Utility Rings have a unique wrap around design, are available in 1 inch diameters, fits any scope size (low, medium or high) and comes in matte black.



#### **Foresight Mount**

For mounting of diopter sight on FX rifles and others.
Compensator function.
Adjustable clockwise.

Connection foresight: 11 mm dovetail Connection to Rifle: 1/2" thread

Weight: 170 g

## **F**Xaccessories



#### Three stage pump

The easiest most convenient and affordable way to charge your airguns Patented three way system gives you 200 bar with ease. Maximum fill pressure 250 bar.

**Features:** Pressure gauge, moisture trap, particle filter (replaceable), and bleed valve.

**Connections:** DIN or Kevlar hose 0,5 m with 1/8" thread.



#### Charging kit

Complete charging device for your scuba tank.

Features: Pressure gauge, particle filter (replaceable),

and bleed valve.

Connections: Kevlar hose 0,5 m with 1/8" thread / FX Fill

probe and DIN in scuba end.



#### Four stage turbopump

The new Turbo Pump is equipped with a patented 4 stage system. It has a unique gearing system that gives you the opportunity to gear down when it gets rough. It allows the user to choose if they want high volume (300 cc) with lower pressure. Or low volume (200 cc) with higher pressure.

**Features:** Pressure gauge, moisture trap, particle filter (replaceable), and bleed valve. Unique Gearing system. **Connections:** DIN or Kevlar hose 0,5 m with 1/8" thread.

# Fillprobe adaptor MkII > MkI For easy swap between later mode of quick charging connector and

For easy swap between later mode of quick charging connector and early model connector. Made of Hardened steel.



#### Pump accessories

Various adapters DIN to 1/8". External moisture trap, easy to service and clean, 1/8" connections.



## **Accessories**



#### Typhoon magazine

A multishot solution for the singelshot Typhoon, manually rotated. With room for 10 pellets, available in caliber 4,5 (.177) and 5,5 (.22). Also suits Tornado (JPN) and Logun Solo.



#### **FX Smoothtwist Pellets**

**Calibre**: 6,35 (.25) 1,940 g (30grains)

**Calibre**: 5,5 (.22) weight 1,030 g (16 grains) and 1,170 g (18 grains)



#### Cleaning pellets

Recommended for all FX guns. Outstanding cleaning without damage to the barrel. Available in 4,5 (.177), 5,5 (.22) and 6,35 (.25).



#### Magazines

8 shot magazines available in 4,5 (.177) and 5,5 (.22) 11 shot magazine for 6,35 (.25) 12 shot magazine for 5,5 (.22) 16 shot magazine for 4,5 (.177) New made in high grade aluminum.



High performance domed (round tip) air rifle pellets. **Calibre:** 6,35 (.25) weight 1,645 g (25,4 grains)

**Calibre:** 4,52 (.177) weight 0,547 g



### Single Scoped Rifle Case

Contoured recessed latches. Padlock tabs for added security. Strong and ribbed construction. Inner dimension: 121x27x7 cm.

clothing

### Barrel support

Suits all rifles with a barrel of 14 mm in diameter and a tube diameter of 33 mm.

Gauge assembly

This gauge suits all our

front airtubes. You can

use it with or without

barrel support.



### Barrel support

Requires newer version air cylinder with raised section on end cap. Available for standard (14 mm) barrel and shrouded versions (16 mm). Replacement end cap is required if an older version of cylinder. Is to be used with barrel support.



### **Tube extension**

Addition

the FX rifles.

Muzzle Flip Suits all FX rifles

with 1/2" thread on the

muzzle. Mounted as

standard on the

Verminator.

Shrouded barrel and barrel support. Available as addition on some of

Add this to your existing airtube for additional volume. Approximately 5-10 more shots at high power. 45 cc - 100 mm.



#### **FX Pellets**

**Calibre:** 5,52 (.22) weight 1,030 g (16 grains)

T-shirt High quality t-shirt with FX Logo on chest. 100 % cotton.



### Army Cap

Cap with with embroidered FX Logo on the left lower side. 100 % cotton



#### Beanie

Ribbed beanie with embroidered vertical FX Logo. 100 % acryl.



### Tube clamp

Allows easy addition of a sling, strap, bipod or other accessory without any modification to the fore end of the stock. Suitable for all airtubess with a diameter of 33 mm.